

<div style="text-align: center;">  PLUMBING FIXTURE SCHEDULE </div>									
SYMBOL	FIXTURE DESCRIPTION	BASIS OF DESIGN	C.W.	H.W.	SAN	VENT	MOUNTING	RIM HEIGHT	REMARKS
P-1	WATER CLOSET - FLUSH VALVE	KOHLER K-4325 KINGSTON WALL MOUNTED TOP SPUD FLUSHOMETER BOWL	1-1/2"	-	3"	2"	WALL	14-3/4"	
P-2	URINAL - FLUSH VALVE	AMERICAN STANDARD WASHBROOK FLOWISE MODEL NO. 6590.001	3/4"	-	2"	1-1/2"	WALL	24"	
P-3	SINK	AMERICAN STANDARD DECORUM MODEL NO. 9024004EC.020	1/2"	1/2"	1-1/2"	1-1/4"	WALL	34" (ADA)	①
P-4	VANITY LAVATORY	AMERICAN STANDARD RONDAYLN MODEL NO. 0491.019	1/2"	1/2"	1-1/2"	1-1/4"	DROP-IN	SEE ARCH	
P-5	FLOOR MOUNTED SERVICE SINK	FIAT MODEL NO. MSBID2424	3/4"	3/4"	3"	1-1/2"	WALL	26-1/4"	
	SHOWER VALVE & HEAD	POWERS e710 HYDROGUARD T/P VALVE ZURN Z7000-16-A0-1.5 HEAD	-	-	-	-	WALL	-	②
	SHOWER FLOOR DRAIN	ZURN Z415-BZ1-DP WITH "TYPE B" STRAINER, DECK PLATE AND EZI TECHNOLOGY	-	-	3"	-	FLOOR	-	

REMARKS

- ① FAUCET SHALL MEET ASSE 1070, BASIS OF DESIGN: POWERS MODEL NO. ES-P-105_115.
- ② CONNECT NEW SHOWER HEAD AND VALVE TO EXISTING PIPING. MATCH EXISTING SIZE.

COMMONWEALTH OF PENNSYLVANIA
DEPT. OF MILITARY & VETERAN'S AFFAIRS
ANNVILLE, PENNSYLVANIA

DESIGN PROFESSIONALS:
OFFICE OF FACILITIES AND ENGINEERING
BUREAU OF DESIGN AND PROJECT
MANAGEMENT
BLDG. 0-10, FORT INDIANTOWN GAP
ANNVILLE, LEBANON COUNTY, PENNSYLVANIA

PROJECT NO.: 42190080

**19-101 HVAC/LED
UPGRADES "NORTH"**
PROJECT LOCATION
COUNTY, PENNSYLVANIA

SCHEDULE REVISION

CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT BUREAU OF ENGINEERING AND ARCHITECTURE APPROVAL.

DRAWN BY B. TOEVS	DATE 06 DEC. 2022	DRAWING NO. SK.002
CHECKED BY B. TOEVS	SCALE NONE	