


NORTH FLOOR PLAN - NEW LAYOUT


SCALE: 1/8" = 1'-0"

WALL TYPES



WALL NOTES:


- ALL GYPSUM BOARD LOCATED IN TOILET ROOMS AND SHOWER AREAS SHALL BE MOISTURE/MILDEW RESISTANT GREEN BOARD.
- ALL STUD WALLS ARE TO BE RAN FULL HEIGHT TO UNDERSIDE OF BAR JOISTS, UNLESS NOTED OTHERWISE.
- GYPSUM BOARD SHALL BE INSTALLED TO A MINIMUM OF 6 INCHES ABOVE FINISHED CEILING HEIGHT, UNLESS NOTED OTHERWISE.



NEW WALL OPENINGS

SCALE: 1/2" = 1'-0"

1
A.1.1



EXISTING OPENING - "FILL-IN"

SCALE: 1/2" = 1'-0"

2
A.1.1

VERIFY SCALE	
CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT BUREAU OF ENGINEERING AND ARCHITECTURE APPROVAL.	

NO.	DESCRIPTION	DATE
REVISIONS		
Professional's Signature _____ Date _____		
COMMONWEALTH OF PENNSYLVANIA DEPT. OF MILITARY & VETERAN'S AFFAIRS ANNVILLE, PENNSYLVANIA 17003		
DESIGN PROFESSIONALS: OFFICE OF FACILITIES AND ENGINEERING BUREAU OF DESIGN AND PROJECT MANAGEMENT BLDG. 0-10, FORT INDIANTOWN GAP ANNVILLE, LEBANON COUNTY, PENNSYLVANIA		
PROJECT NO.: 42190080		
19-101 HVAC/LED UPGRADES "NORTH" AREA 19 - FORT INDIANTOWN GAP ANNVILLE, LEBANON COUNTY, PENNSYLVANIA		
NEW LAYOUT		
DRAWN BY J. NYE	DATE 14 OCT. 2022	DRAWING NO. A.1.1
CHECKED BY R. FISHBURN	SCALE AS NOTED	