

- GENERAL NOTES**
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR CUTTING, REMOVING AND PROVIDING NEW CONCRETE FLOOR WHERE REQUIRED FOR UNDERFLOOR PIPING WORK.
 - THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR ALL EXCAVATION AND BACKFILLING AS REQUIRED FOR UNDERFLOOR PIPING WORK.
 - ALL HORIZONTAL SANITARY AND VENT PIPING SHALL BE INSTALLED WITH A SLOPE OF 1/4 INCH PER FOOT.
- SYMBOL LEGEND**
- | | |
|--------------------------|----------------------|
| — (CW) COLD WATER | ○ PIPE RISE |
| — (HW) HOT WATER | ○ PIPE DROP (ELBOW) |
| — (V) VENT | ○ PIPE DROP (TEE) |
| — (SAN) SANITARY | ⋈ SHUT-OFF VALVE |
| ⋈ RPZ BACKFLOW PREVENTER | ⋈ PIPE BREAK |
| ⋈ WATER HAMMER ARRESTOR | ⋈ FLOOR DRAIN |
| ○ FCO FLOOR CLEAN OUT | ⋈ WCO WALL CLEAN OUT |

**WORK TO BE INCLUDED
WITHIN BASE BID #2**

NOTE: THE PLUMBING CONTRACTOR SHALL PROVIDE AND MAINTAIN 8 PORTA-JOHNs FOR THE DURATION OF THIS PROJECT.


NORTH FIRST FLOOR PLUMBING PLAN

SCALE: 1/8" = 1'-0"

PLUMBING FIXTURE SCHEDULE									
SYMBOL	FIXTURE DESCRIPTION	BASIS OF DESIGN	C.W.	H.W.	SAN	VENT	MOUNTING	RIM HEIGHT	REMARKS
P-1	WATER CLOSET — FLUSH VALVE	AMERICAN STANDARD GLENWALL MODEL NO. 3447101.020	1-1/2"	—	3"	2"	WALL	14-3/4"	
P-2	URINAL — FLUSH VALVE	AMERICAN STANDARD WASHBROOK FLOWISE MODEL NO. 6590.001	3/4"	—	2"	1-1/2"	WALL	24"	
P-3	SINK	AMERICAN STANDARD DECORUM MODEL NO. 9024004E.020	1/2"	1/2"	1-1/2"	1-1/4"	WALL	34" (ADA)	①
P-4	VANITY LAVATORY	AMERICAN STANDARD RONDAYLN MODEL NO. 0491.019	1/2"	1/2"	1-1/2"	1-1/4"	DROP-IN	SEE ARCH	
P-5	FLOOR MOUNTED SERVICE SINK	FIAT MODEL NO. MSBID2424	3/4"	3/4"	3"	1-1/2"	WALL	26-1/4"	


REMARKS

① FAUCET SHALL MEET ASSE 1070, BASIS OF DESIGN: POWERS MODEL NO. ES-P-105-115.



ENLARGED WOMENS ROOM NORTH

SCALE: 1/4" = 1'-0"



VERIFY SCALE

BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING:

0 1

IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY

CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT BUREAU OF ENGINEERING AND ARCHITECTURE APPROVAL.

NO.	DESCRIPTION	DATE
REVISIONS		
Professional's Signature _____ Date _____		
COMMONWEALTH OF PENNSYLVANIA DEPT. OF MILITARY & VETERAN'S AFFAIRS ANNVILLE, PENNSYLVANIA 17003		
DESIGN PROFESSIONALS: OFFICE OF FACILITIES AND ENGINEERING BUREAU OF DESIGN AND PROJECT MANAGEMENT BLDG. 0-10, FORT INDIANTOWN GAP ANNVILLE, LEBANON COUNTY, PENNSYLVANIA		
PROJECT NO.: 42190080		
19-101 HVAC/LED UPGRADES "NORTH" AREA 19 - FORT INDIANTOWN GAP ANNVILLE, LEBANON COUNTY, PENNSYLVANIA		
PLUMBING FLOOR PLAN		
DRAWN BY C. KITA	DATE 14 OCT 2022	DRAWING NO. P.2.1
CHECKED BY B. TOEVS	SCALE AS NOTED	