


A-10A SCALE: 1/2" = 1'-0"



A-10A SCALE: 1/2" = 1'-0"

SIGN SCHEDULE NOTES:

A. VERIFY SIGN LOCATIONS AND HEIGHTS WITH ARCHITECT AND OWNER PRIOR TO INSTALLATION

ADDITIONAL SIGNAGE REQUIREMENTS:

PROVIDE ADDITIONAL SIGNS AS FOLLOWS: (TEXT AND LOCATIONS TO BE DETERMINED BY OWNER) ANY UNUSED SIGNS AND INSTALLATION LABOR SHALL BE CREDITED TO THE OWNER.

(2) TYPE 5 SIGNS	(5) TYPE 6 SIGNS	(5) TYPE 7 SIGNS
------------------	------------------	------------------



ONE TYPE 6 SIGN SHALL BE INSTALLED AT EVERY DOOR LOCATION WHERE A LIGHTED EMERGENCY EXIT SIGN IS INSTALLED. COORDINATE SIGN LOCATIONS WITH ELECTRICAL DRAWINGS.



SIGNAGE NOTES:

MINIMUM SIGN WIDTH SHALL BE AS INDICATED. ON SIGNS WHERE TEXT WILL REQUIRE A LONGER SIGN, SIGN LENGTH SHALL BE INCREASED IN ONE INCH INCREMENTS AS REQUIRED TO FIT TEXT.

WHERE A TACTILE SIGN IS PROVIDED AT A DOOR, THE SIGN SHALL BE MOUNTED ON THE LATCH SIDE. WHERE A TACTILE SIGN IS PROVIDED AT DOUBLE DOORS WITH ONE ACTIVE LEAF, THE SIGN SHALL BE LOCATED ON THE INACTIVE LEAF. WHERE A TACTILE SIGN IS PROVIDED AT DOUBLE DOORS WITH TWO ACTIVE LEAVES, THE SIGN SHALL BE TO THE RIGHT OF THE RIGHT-HAND DOOR. WHERE THERE IS NO WALL SPACE ON THE LATCH SIDE OF A SINGLE DOOR, OR TO THE RIGHT SIDE OF DOUBLE DOORS, SIGNS SHALL BE ON THE NEAREST ADJACENT WALL. SIGNS CONTAINING TACTILE CHARACTERS SHALL BE LOCATED SO THAT A CLEAR FLOOR AREA OF 18" MIN. BY 18" MIN., CENTERED ON THE TACTILE CHARACTERS, IS PROVIDED BEYOND THE ARC OF ANY DOOR SWING BETWEEN THE CLOSED POSITION AND 45 DEGREE OPEN POSITION.

ALL TACTILE SIGNS SHALL BE MOUNTED WITH TOP OF SIGN AT 5'-0" A.F.F. (REFER TO DETAILS 1 AND 2/A-10A)

SIGN MANUFACTURER SHALL BE RESPONSIBLE TO ENSURE THAT BRAILLE TRANSLATION IS ACCURATE.

WHERE A SIGN IS MOUNTED ON A GLASS SURFACE, A BLANK SIGN OF EQUAL SIZE AND IDENTICAL SHAPE SHALL BE MOUNTED ON THE OPPOSITE SIDE OF THE GLASS.


CONTRACTOR SHALL REVIEW SIGN LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION. ANY SIGN LOCATED WITHOUT PREVIOUS REVIEW WITH THE ARCHITECT SHALL BE MOVED AS DIRECTED BY THE ARCHITECT AT NO ADDITIONAL COST.

ALL SIGNS SHALL BE FACTORY DRILLED TO ACCEPT STAINLESS STEEL PANHEAD TORX FASTENERS AS DESIGNED. THE HOLES SHALL BE POSITIONED SO AS NOT TO INTERFERE WITH ANY OF THE SIGN SYMBOLS OR TEXT AFTER THE SCREWS ARE INSTALLED.

THE INSTALLER SHALL VERIFY THE SUBSTRATE TO WHICH THE SIGN SHALL BE INSTALLED, SHIELDS SHALL USED FOR MASONRY INSTALLATION, TOGGLES FOR GYPSUM BOARD INSTALLATION.

SIGNS UP TO 11" IN LENGTH SHALL HAVE TWO FASTENERS INSTALLED ALONG ITS LENGTH AS SHOWN ABOVE. SIGNS FROM 12" TO 17" LONG SHALL HAVE THREE FASTENERS INSTALLED AT EQUAL INTERVALS. FOR EACH ADDITIONAL 6" IN SIGN LENGTH, AN ADDITIONAL FASTENER SHALL BE INSTALLED AT EQUAL SPACING ALONG THE SIGN LENGTH.

CONTRACTOR SHALL COORDINATE SIGN LOCATIONS WITH EXISTING TACK BOARDS AND VERIFY ALL LOCATIONS WITH THE ARCHITECT AND OWNER PRIOR TO INSTALLATION.





\* ALL SIGNS SHALL BE FACTORY DRILLED TO ACCEPT STAINLESS STEEL PANHEAD TORX FASTENERS AS DESIGNED. THE HOLES SHALL BE POSITIONED SO AS NOT TO INTERFERE WITH ANY OF THE SIGN SYMBOLS OR TEXT AFTER THE SCREWS ARE INSTALLED.

THE INSTALLER SHALL VERIFY THE SUBSTRATE TO WHICH THE SIGN SHALL BE INSTALLED, SHIELDS SHALL USED FOR MASONRY INSTALLATION, TOGGLES FOR GYPSUM BOARD INSTALLATION.

SIGNS UP TO 11" IN LENGTH SHALL HAVE TWO FASTENERS INSTALLED ALONG ITS LENGTH AS SHOWN ABOVE. SIGNS FROM 12" TO 17" LONG SHALL HAVE THREE FASTENERS INSTALLED AT EQUAL INTERVALS. FOR EACH ADDITIONAL 6" IN SIGN LENGTH, AN ADDITIONAL FASTENER SHALL BE INSTALLED AT EQUAL SPACING ALONG THE SIGN LENGTH.

---

SCALE: 3" = 1'-0"



**AEMI** ARCHITECTS INC.  
33700 PERKIOMEN AVENUE, READING, PA 19606-2795  
Phone: 610.779.3220 Fax: 610.779.9022 www.aem-arch.com

## SIGN SCHEDULE AND DETAILS

RENOVATIONS TO THE  
REAMSTOWN ELEMENTARY SCHOOL FOR  
COCALICO SCHOOL DISTRICT

ALL DIMENSIONS and EXISTING CONDITIONS shall be CHECKED and VERIFIED by the CONTRACTOR at the SITE.

JOB NO.: 22011.00

DATE: 04.14.23

A-10A