



EXTERIOR ELEVATION
SCALE: 1/8" = 1'-0"

1




EXTERIOR ELEVATION - BEYOND CANOPY
SCALE: 1/8" = 1'-0"

1A




EXTERIOR ELEVATION
SCALE: 1/8" = 1'-0"

2




EXTERIOR ELEVATION
SCALE: 1/8" = 1'-0"

3




EXTERIOR ELEVATION
SCALE: 1/8" = 1'-0"

4




INTERIOR ELEVATION
SCALE: 1/4" = 1'-0"

5





INTERIOR ELEVATION
SCALE: 1/4" = 1'-0"

6



- RENOVATION NOTES
- H.C. REMOVE EXISTING LOUVER, ASSOCIATED DUCTWORK AND CONDENSATE LINE-COORDINATE WITH MECH DRAWINGS. GC, INFILL PER DETAIL B/A-11B, TOOTH-IN BRICK - REPLACE BRICK WHERE CONDENSATE LINE IS REMOVED (TYP)
 - ALL EXISTING AND NEW MASONRY (BRICK VENEER, SPLIT-FACE CMU, ETC.) SHALL BE CLEANED IN ACCORDANCE WITH SPECIFIED REQUIREMENTS. AFTER CLEANING IS COMPLETED, ALL EXISTING AND NEW MASONRY SURFACES SHALL BE TREATED WITH WATER REPELLANT IN ACCORDANCE WITH SPECIFIED REQUIREMENTS.



AEM ARCHITECTS, INC.
3700 PERKIO MEN AVENUE, READING, PA 19606-2795
Phone: 610.779.3320 Fax: 610.779.3322 www.aem-arch.com

1/8" EXTERIOR ELEVATIONS - UNIT C
RENOVATIONS TO THE
REAMSTOWN ELEMENTARY SCHOOL FOR
COCALICO SCHOOL DISTRICT
SOUTH REAMSTOWN ROAD, EAST COCALICO TOWNSHIP, LANCASTER COUNTY, PA

ALL DIMENSIONS AND EXISTING CONDITIONS
SHALL BE CHECKED AND VERIFIED
BY THE CONTRACTOR AT THE SITE.

JOB NO.: 22011.00
DRAWN BY: SRH/JFS
DATE: 04.14.23

A-C2