




W4 51	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




W4 52	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




W4 53	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




W4 54	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




W4 55	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M4 02	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M4 06	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M4 11	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M4 12	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: 45	SCALE: 1 1/2" = 1'




M4 21	FIRE RATING: 1 HR.	DESIGN: UL # U419
	S.T.C. RATING: 35	SCALE: 1 1/2" = 1'




M4 31	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M4 48	FIRE RATING: 1 HR.	DESIGN: UL # U419
	S.T.C. RATING: 45	SCALE: 1 1/2" = 1'




M4 49	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: 45	SCALE: 1 1/2" = 1'




M4 50	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M4 51	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: 59+	SCALE: 1 1/2" = 1'




M6 01	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M6 06	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




M6 12	FIRE RATING: N/A	DESIGN: N/A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'




MCH 02	FIRE RATING: 2HR	DESIGN: U415 System B
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'



MCH 03	FIRE RATING: 1HR	DESIGN: U415 System A
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'



MCH 04	FIRE RATING: 2HR	DESIGN: U415 System B
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'



MCH 05	FIRE RATING: 2HR	DESIGN: U415 System B
	S.T.C. RATING: N/A	SCALE: 1 1/2" = 1'

#### GENERAL NOTES FOR THIS SHEET

- GYP. BD. IDENTIFIED AS "ABUSE RESISTANT" SHALL BE ABUSE & IMPACT RESISTANT. USE VERY HIGH IMPACT @ GYP. BD. WITH BARRIER MESH BEHIND IT.

#### VERIFY SCALE

BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING.

IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY.

CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT PROFESSIONAL & BUREAU OF CONSTRUCTION APPROVAL.

DRAWN BY  
B. GAGAN

DATE  
27 JUNE 2023

SHEET No.  
A-001

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF GENERAL SERVICES  
HARRISBURG, PENNSYLVANIA

D.G.S. PROJECT No.  
**C-0588-0015 PHASE 1**

**LOYSVILLE YOUTH DEVELOPMENT CENTER-  
RENOVATIONS TO ZIMMERMAN-  
BINGAMAN (ZB) COTTAGE**  
DEPARTMENT OF HUMAN SERVICES  
LOYSVILLE, TYRONE TOWNSHIP, PERRY COUNTY, PA

#### WALL TYPES

DRAWN BY  
B. GAGAN

DATE  
27 JUNE 2023

SHEET No.  
A-001