



11/20/21 Project\316008 005 Loysville Youth Development Center\6 216008 Bldg\216008 Int\ Elevations 216008.dwg 6/27/2023 4:48 PM




TYPICAL MOUNTING HEIGHTS UNLESS NOTED OTHERWISE  
N.T.S.  
NOTE: NOT ALL ITEMS SHOWN ON THIS DETAIL MAY BE USED ON THIS PROJECT

TOILET DETAILS




TYPICAL HC RESTROOM TOILET CLEARANCES, BLOCKING AND GRAB BARS  
N.T.S.

LAVATORY DETAILS




TYPICAL HC LAVATORY CLEARANCES  
N.T.S.

URINAL DETAILS




TYPICAL HC URINAL  
N.T.S.

ROLL UNDER DETAILS




TYPICAL HC KNEE & TOE CLEARANCES  
N.T.S.

DRINKING FOUNTAIN DETAILS




TYPICAL HC DRINKING FOUNTAIN CLEARANCES  
N.T.S.

SHOWER DETAILS



TYPICAL HC SHOWER STALL CLEARANCES  
N.T.S.



TYPICAL SHOWER GRAB BAR BLOCKING  
N.T.S.

INTERIOR ELEVATION NOTES

- GENERAL**
1. FIELD VERIFY ALL CABINETRY AND DIMENSIONS PRIOR TO ORDERING.
  2. PROVIDE CONTINUOUS BLOCKING FOR MOUNTING OF ALL GRAB BARS AND ACCESSORIES.
  3. WATER SUPPLY & DRAINPIPES UNDER HC ACCESSIBLE LAVATORIES & SINKS SHALL BE INSULATED OR OTHERWISE CONFIGURED TO PROTECT AGAINST CONTACT. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER HC ACCESSIBLE LAVATORIES & SINKS.
- CABINETS**
1. PROVIDE SCRIBE MOLD WHERE CABINETS MEET WALLS AND CEILINGS / BULKHEADS.
  2. GC TO PROVIDE FILLERS AS REQUIRED ON ALL CABINETS.
  3. CABINET DOORS TO BE HUNG LEVEL AND PLUMB.
  4. FINISHED END PANELS TO BE PROVIDED AT ALL EXPOSED SIDES OF CABINETS.
  5. CAULK AT BASE CABINET AND FLOORING.
  6. CABINET HARDWARE FINISH TO MATCH DOOR HARDWARE FINISH.
- COUNTERS**
1. ALL COUNTERTOPS TO BE SCRIBED TO THE WALL.
  2. CAULK ALL COUNTERTOPS.