DOOR TYPES



GLAZING TYPES

1: D-H-60 SAFETY GLASS (TEMPERED AND LAMINATED).
2: INSULATED SAFETY GLASS (TEMPERED AND LAMINATED).
3: LAMINATED SAFETY GLASS (TEMPERED AND LAMINATED).
4: D-20 LAMINATED SAFETY GLASS (TEMPERED AND LAMINATED).

FRAME TYPES



REFER TO DETAIL 2/TY-601 SECURED DOORS

REFER TO DETAIL 2/TY-601 SECURED DOORS

REFER TO DETAIL 2/TY-601 SECURED DOORS

REFER TO DETAIL 1/TY-601 RESIDENT BEDROOM DOORS

REFER TO DETAIL 2/TY-601 SECURED DOORS

REFER TO DETAIL 2/TY-602 ICR PADDED ROOM DOORS

DOOR & FRAME SCHEDULE ABBREVIATIONS

ALUM	Aluminum	P	Paint
EXIST	Existing	PR	Pair
FP/SP	Factory Primed/Site Painted	PLAM	Plastic Laminate
FGL	Fiberglass	PRE	Prefinished
GL	Glass	PWPS	Push Wall Plate Switch
HCW	Hollow Core Wood	SL	Sidelight
HM	Hollow Metal	S	Single
IF	Insulated Fiberglass	SCW	Solid Core Wood
IM	Insulated Metal	STN	Stain
M	Metal	UPR	Unbalanced Pair
		WD	Wood

GENERAL DOOR NOTES

1. ALL DOORS SHALL FIT UNIFORMLY IN FRAMES.
2. ALL DOORS AND HARDWARE SHALL OPERATE FREELY AND PROPERLY.
3. ALL EXTERIOR METAL DOORS AND FRAMES SHALL BE GALVANIZED.
4. ALL EXTERIOR METAL DOOR FRAMES SHALL BE THERMAL BREAK TYPE.
5. ALL EXTERIOR DOORS SHALL HAVE WEATHERSTRIPPING AND THRESHOLDS.
6. ALL THRESHOLDS TO MEET HC REQUIREMENTS, UNLESS NOTED OTHERWISE. CAULK ALL THRESHOLDS.
7. PROVIDE PROPER DOOR STOPS ON EVERY DOOR. HINGE STOPS MAY NOT BE USED. PROVIDE PROPER BLOCKING FOR ALL WALL STOPS.
8. INSTALL SCREW CAPS ON DOOR LITES, ADJUSTMENT BARS, ETC.
9. ALL EXCESS CAULK AND GLAZIERS PUTTY ON DOOR LITES SHALL BE REMOVED.
10. ALL GLAZING IN DOORS AND SIDELITES SHALL BE SAFETY GLASS (TEMPERED AND LAMINATED). ALL GLAZING IN EXTERIOR DOORS AND SIDELITES SHALL BE INSULATED LOW-E SAFETY GLASS. ALL GLAZING IN FIRE RATED DOORS SHALL BE FIRE RATED SAFETY GLASS AND CONFORM TO UL, NFPA, AND IBC REQUIREMENTS.
11. ALL CORRIDOR DOORS SHALL HAVE SMOKE AND DRAFT CONTROL PER UL 1784. DOORS SHALL HAVE THE LETTER 'S' ON THE FIRE RATING LABEL OF THE DOOR.
12. ALL DOOR CLOSERS TO BE SET TO HANDICAPPED COMPLIANT PRESSURE AND CLOSING SPEEDS.
13. ALL DOOR HARDWARE TO HAVE TAMPER RESISTANT SECURITY FASTENERS.
14. ALL EXTERIOR DOORS SHALL BE FAIL SAFE (FAIL OPEN). IN THE EVENT OF POWER FAILURE, MAGLOCKS WILL UNLOCK THE DOORS TO ALLOW EGRESS FROM THE BUILDING.
15. PADDED ROOM #217 AND ALL BEDROOM DOORS: CLOSER TO BE REGULAR ARM (MOUNTED ON PULL SIDE (CORRIDOR SIDE) OF DOOR). INTERIOR AND EXTERIOR LEVERS SHALL BE ANTI-LIGATURE.

DOOR AND FRAME SCHEDULE

DOOR No.	Use	Type	Mat.	Finish	SIZE W x H x T	FRAME Type	Mat.	Finish	FIRE RATING	GLAZING Type	HARDWARE: 1-1/2 Pair Hinges	Continuous Hinge	Wall Stop	Concealed Overhead Stop	Closer	Closer w/ integral door stop	Interior Pull	Exterior Pull	Interior Push Plate	Concealed Vert Rod w/ Top & Bottom Strikes	Panic Hardware	Fire Exit Hardware	Interior Lever	Exterior Lever	Lock Function: Passage	Privacy	Storeroom	Office	Entrance	Classroom	Deadbolt	Magnetic Lock	Magnetic Hold Open	Key Lock Override	Keyed Bypass Switch	Electric Strike	Weather Stripping	Automatic Door Bottom, Exterior to Room	Sweep	Silencer	Gasketed	Threshold	Kick Plate: Push Side	Pull Side	NOTES	DOOR No.
BASEMENT FLOOR																																														
001a-1	CORRIDOR	-	-	-	S 3'-0" x 7'-0" x -	a	M	FP/SP	-		●					●																														REMOVE DOOR & HARDWARE, REPLACE EXISTING FRAME	001a-1
002-1	MECH ROOM #1	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.	-	●					●							●	●			●													●				-	002-1
003-1	COUNSELOR OFFICE #1	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●				●													●					003-1
004-1	COUNSELOR OFFICE #2	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●				●													●					004-1
005-1	MECH ROOM #2	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.		●		●			●							●	●			●													●					005-1
006-1	STAFF RR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●		●															●					006-1
007-1	JANITOR	F	M	FP/SP	S 2'-4" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●							●									●			●	●	007-1
008-1	CHASE	F	M	FP/SP	S 2'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●			●													●					008-1
009-1	CORRIDOR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.		●		●			●							●	●	●															●					009-1
009-2	CORRIDOR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.		●		●			●							●	●	●															●					009-2
010-1	STORAGE	F	M	FP/SP	S 2'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●			●														●					010-1
011-1	RESIDENT RR	-	-	-	S 3'-0" x 7'-0" x -	a	M	FP/SP	-																																				011-1
012-1	I.T. ROOM	F	M	FP/SP	S 2'-10" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.		●		●			●							●	●				●													●					012-1
013-1	ELECTRICAL	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●				●																	013-1
014-1	MECH ROOM #3	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.		●		●			●							●	●				●													●					014-1
014a-1	MECH ROOM #3a	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●			●							●	●	●															●					014a-1
016-1	COUNSELOR OFFICE #3	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●				●													●					016-1
016-2	COUNSELOR OFFICE #3	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●				●													●					016-2
017-1	SUPERVISOR OFFICE	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●				●													●					017-1
018-1	MECH ROOM #4	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●					●							●	●				●													●					018-1
030-1	STAIR-A (EXTERIOR)	N	IM	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	b	M	FP/SP	-	2	●					●		●	●												●			●		●		●		●	●				THERMAL BREAK FRAME	030-1
030-2	STAIR-A	N	M	FP/SP	UPR 2'-0"/3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●				●		●		●							●		●							●					030-2
031-1	STAIR-B	N	M	FP/SP	S 2'-10" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●					031-1
032-1	STAIR-C	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●					032-1
FIRST FLOOR																																													
101-1	ENCLOSED ROOM (EXTERIOR)	HG	IM	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	c	M	FP/SP	-	2		●			●		●	●												●			●		●		●		●	●				THERMAL BREAK FRAME	101-1
101-2	ENCLOSED ROOM	F	M	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●	●														●					101-2
102-1	STORAGE	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●			●													●					102-1
106-1	JANITOR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●						●										●			●	●	106-1
107-1	CORRIDOR	F	M	FP/SP	S 2'-10" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●					●							●	●	●															●					107-1
107-2	CORRIDOR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●	●															●					107-2
108-1	STAFF BREAK ROOM	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●					●							●	●							●									●					WOOD DOOR CASING	108-1
109-1	STAFF RR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●		●														●					109-1
110-1	VESTIBULE (EXTERIOR)	HG	IM	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	c	M	FP/SP	-	2		●			●		●	●												●			●		●		●		●	●				THERMAL BREAK FRAME	110-1
112-1	ICR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.			●	●		●								●	●							●									●					112-1
113-1	PADDED ROOM	V	M	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	g	M	FP/SP	-	3		●					●													●	●	●				●			●						113-1
115-1	TIMEOUT ROOM	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●							●									●					115-1
130-1	STAIR-A	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●					REPLACE WOOD DOOR CASING- REC ROOM SIDE	130-1
131-1	STAIR-B (EXTERIOR)	N	IM	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	d	M	FP/SP	-	2	●					●		●	●												●			●		●		●		●	●				THERMAL BREAK FRAME, GLAZING IN TRANSOM	131-1
131-2	STAIR-B	N	M	FP/SP	UPR 2'-0"/3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●				●		●		●							●		●							●					131-2
132-1	STAIR-C (EXTERIOR)	N	IM	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	-	2	●					●		●	●												●			●		●		●		●	●				THERMAL BREAK FRAME	132-1
132-2	STAIR-C	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●				●		●		●							●		●							●					REPLACE WOOD DOOR CASING- REWARD ROOM SIDE	132-2
SECOND FLOOR																																													
202-1	STORAGE	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●	●									●	●			●													●					202-1
203-1	*DELETED*																																												203-1
204-1	*DELETED*																																												204-1
205-1	*DELETED*																																												205-1
206-1	*DELETED*																																												206-1
208-1	STORAGE	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●					●							●	●			●													●					208-1
210-1	JANITOR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●			●									●	●						●										●			●	●	210-1
211-1	CHASE	F	M	FP/SP	S 2'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●					●							●	●			●													●					211-1
212-1	STAFF OFFICE	F	M	FP/SP	S 2'-8" x 7'-0" x 1 3/4"	a	M	FP/SP	20 MIN.		●		●			●							●	●				●													●					WOOD DOOR CASING- PAINTED ROOM SIDE	212-1
213-1	STAFF RR	F	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●		●														●					WOOD DOOR CASING- PAINTED	213-1
214-1	SUPERVISOR OFFICE	F	M	FP/SP	S 2'-8" x 7'-0" x 1 3/4"	a	M	FP/SP	-		●		●										●	●				●													●					WOOD DOOR CASING	214-1
217-1	PADDED ROOM	V	M	FP/SP	S 3'-6" x 7'-0" x 1 3/4"	g	M	FP/SP	20 MIN.	4		●			●								●	●							●	●	●				●			●						217-1
218-1	RESIDENT BEDROOM #1	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						218-1
219-1	RESIDENT BEDROOM #2	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						219-1
220-1	RESIDENT BEDROOM #3	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						220-1
221-1	RESIDENT BEDROOM #4	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						221-1
222-1	RESIDENT BEDROOM #5	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						222-1
223-1	RESIDENT BEDROOM #6	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						223-1
224-1	RESIDENT BEDROOM #7	V	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	e	M	FP/SP	20 MIN.	4		●			●								●	●	●							●	●	●							●						224-1
230-1	STAIR-A	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●						230-1
231-1	STAIR-B	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●					REPAIR WOOD DOOR CASING- DAMAGED AT HEAD ON CORRIDOR SIDE	231-1
231-2	STAIR-B	N	M	FP/SP	S 2'-8" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●							●	●				●													●						231-2
231-3	STAIR-B	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●						231-3
232-1	STAIR-C	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	f	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●						●		●							●		●							●						232-1
THIRD FLOOR																																													
301-1	ATTIC	EXIST	WD	-	S 3'-0" x 5'-2" x EXIST	EXIST	WD	-	-																																				EXIST. DOOR, FRAME, AND HARDWARE TO REMAIN	301-1
301-2	ATTIC	F	IM	FP/SP	S 3'-0" x 3'-6" x 1 3/4"	a	M	FP/SP	-		●												●	●	●												●			●						301-2
303-1	MECHANICAL	EXIST	WD	-	S 3'-0" x 7'-0" x EXIST	EXIST	WD	-	-																																				EXIST. DOOR, FRAME, AND HARDWARE TO REMAIN	303-1
304-1	ATTIC	EXIST	WD	-	S 3'-0" x 5'-2" x EXIST	EXIST	WD	-	-																																				EXIST. DOOR, FRAME, AND HARDWARE TO REMAIN	304-1
304-2	ATTIC	F	IM	FP/SP	S 3'-0" x 4'-0" x 1 3/4"	a	M	FP/SP	-		●												●	●	●												●			●						304-2
331-1	STAIR-B	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●							●	●				●													●					REMOVE & REINSTALL EXIST. WOOD DOOR CASING ON ROOM SIDE	331-1
331-2	STAIR-B	N	M	FP/SP	S 3'-0" x 7'-0" x 1 3/4"	a	M	FP/SP	'B' LABEL, 60 MIN.	1	●					●							●	●				●													●					REMOVE & REINSTALL EXIST. WOOD DOOR CASING ON ROOM SIDE	331-2

RECORD REVISIONS

6/27/23
PROFESSIONAL'S SIGNATURE DATE

UpStreet ARCHITECTS, INC.
541 PHILADELPHIA ST. INDIANA, PA 15701
911 MENOHER BLVD. JOHNSTOWN, PA 15905

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF GENERAL SERVICES
HARRISBURG, PENNSYLVANIA

D.G.S. PROJECT No.
C-0588-0015 PHASE 1

LOYSVILLE YOUTH DEVELOPMENT CENTER-RENOVATIONS TO ZIMMERMAN-BINGAMAN (ZB) COTTAGE
DEPARTMENT of HUMAN SERVICES
LOYSVILLE, TYRONE TOWNSHIP, PERRY COUNTY, PA

DOOR SCHEDULE

VERIFY SCALE
BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING:
0 1
IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY

CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT PROFESSIONAL & BUREAU OF CONSTRUCTION APPROVAL.

DRAWN BY	DATE	SHEET No.
J. GRUBE	27 JUNE 2023	A-010
CHECKED BY	SCALE	
J. RIFFER	AS NOTED	

L:\2021 Projects\216008_035_Loysville Youth Development Center\6_216008_Bidding\216008_Bid Drawings\A-010 Door Schedule 216008.dwg 6/27/2023 4:17 PM