


1

SECOND FLOOR PLAN - NEW WORK - LIGHTING

Scale: 3/16" = 1'-0"



EMERGENCY LIGHTING NOTES

1. CONNECT BATTERY OPERATED EXIT SIGNS AND ANY FIXTURE WITH EMERGENCY BALLAST TO LIGHTING CIRCUIT SERVING THE AREA. THIS CONNECTION SHALL BE AHEAD OF THE SWITCH LEG AND SHALL NOT BE SWITCHED IN ANY MANNER.

KEYNOTES

1. RESIDENTIAL BEDROOM 7" TOUCH SCREEN LIGHTING CONTROL. REFER TO 4/E-804 FOR ADDITIONAL INFORMATION.

GENERAL NOTES

1. COORDINATE ALL CEILING MOUNTED ELECTRICAL DEVICES WITH DUCT WORK PRIOR TO INSTALLATION TO AVOID CONFLICT.

RECORD REVISIONS		
PROFESSIONAL'S SIGNATURE DATE		
UpStreet ARCHITECTS, INC. 541 PHILADELPHIA ST. 911 MENOHER BLVD. INDIANA, PA 15701 JOHNSTOWN, PA 15905		
COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF GENERAL SERVICES HARRISBURG, PENNSYLVANIA		
D.G.S. PROJECT No. C-0588-0015 PHASE 1		
LOYSVILLE YOUTH DEVELOPMENT CENTER- RENOVATIONS TO ZIMMERMAN- BINGAMAN (ZB) COTTAGE DEPARTMENT OF HUMAN SERVICES LOYSVILLE, TYRONE TOWNSHIP, PERRY COUNTY, PA		
SECOND FLOOR PLAN - NEW WORK - LIGHTING		
VERIFY SCALE BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING: 0 1 IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY	CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT DOCUMENTS NOT PERMITTED WITHOUT PROFESSIONAL & BUREAU OF CONSTRUCTION APPROVAL.	DRAWN BY S. SMOLKO CHECKED BY S. MULHOLLEN DATE 27 JUNE 2023 SCALE AS NOTED SHEET No. E-202