




I: \\2022\\225H009 SHT ENGINEERING PLANNING\\TASK 20 NEW EQUIPMENT BUILDING\\SPEC PACKAGE SHT EQUIPMENT BUILDING\\SHT\\CONTRACT BID DOCUMENTS\\SHT MUNICIPAL BLDG - 225H009-20.DWG




1
A-7 ADA RESTROOM ELEVATION
NOTE: ALL DIMENSIONS ARE TO THE FINISHED FACE SCALE: 1/2" = 1'-0"




2
A-7 ADA RESTROOM ELEVATION
NOTE: ALL DIMENSIONS ARE TO THE FINISHED FACE SCALE: 1/2" = 1'-0"




3
A-7 ADA RESTROOM ELEVATION
NOTE: ALL DIMENSIONS ARE TO THE FINISHED FACE SCALE: 1/2" = 1'-0"



4
A-7 ADA RESTROOM ELEVATION
NOTE: ALL DIMENSIONS ARE TO THE FINISHED FACE SCALE: 1/2" = 1'-0"



5
A-7 ADA RESTROOM ELEVATION
NOTE: ALL DIMENSIONS ARE TO THE FINISHED FACE SCALE: 1/2" = 1'-0"



6
A-7 ADA RESTROOM ELEVATION
NOTE: ALL DIMENSIONS ARE TO THE FINISHED FACE SCALE: 1/2" = 1'-0"


MARK	WALL TYPE DESCRIPTION
1	CORRUGATED METAL PANEL ON ONE SIDE WITH WITH 8" GIRTS, NON-RATED INTERIOR BEARING PARTITIONS & DRYWALL ON THE OTHER SIDE OF 2x8" WOOD STUDS AT 16" O.C.
2	CORRUGATED METAL PANEL ON ONE SIDE WITH WITH 6" GIRTS, NON-RATED INTERIOR NON-BEARING PARTITIONS & DRYWALL ON THE OTHER SIDE OF 2x6" WOOD STUDS AT 16" O.C.
3	NON-RATED INTERIOR BEARING PARTITIONS - 2x8" WOOD STUDS @ 16" O.C. WITH 1 LAYER OF 1/2" GWB. ON BOTH SIDES.
4	NON-RATED INTERIOR NON-BEARING PARTITIONS - 2x6" WOOD STUDS @ 16" O.C. WITH 1 LAYER OF 1/2" GWB. ON BOTH SIDES.
5	NON-RATED INTERIOR BEARING PARTITIONS - 2x6" WOOD STUDS @ 16" O.C. WITH 1 LAYER OF 1/2" GWB. ON BOTH SIDES.
6	3-HOUR FIRE RATED NON-BEARING WALL - 6" STEEL STUDS, 2 1/2" FIBERGLASS INSULATION, AND 3 LAYERS OF 1/2" TYPE ULIX GWB. ON BOTH SIDES.
7	CORRUGATED METAL PANEL ON ONE SIDE WITH WITH 6" GIRTS, AND FRP WALL PANELS.

SYMBOL LEGEND

- 8 DOOR NUMBER
- A WINDOW TYPE
- 1 WALL TYPE
- A or 1 STRUCTURAL GRID CALLOUTS
- 1 A-4 EXTERIOR WALL SECTION
- 1 A-5 BUILDING CROSS SECTION
- DIMENSIONS ARE STUD TO STUD

Engineer's Stamp:

I certify that to the best of my knowledge and belief this plan is true and correct and the Owner may rely upon the accuracy thereof.



Gregory Scott Lebo, P.E. # 49870-E

NOT FOR CONSTRUCTION - ISSUED FOR BID AND PERMIT 08-21-23

RESTROOM INTERIOR ELEVATIONS

CONSTRUCTION DRAWINGS

FOR TOWNSHIP EQUIPMENT BUILDING

SOUTHAMPTON TWP. CUMBERLAND COUNTY, PA

BREHM-LEBO ENGINEERING, INC.

CIVIL ENGINEERS • PLANNERS • SURVEYORS • STRUCTURAL ENGINEERS

40 NORTH SECOND STREET
CHAMBERSBURG, PA 17001
PH: (717) 267-1401
FAX: (717) 243-3301

17 STATE AVENUE
CARLISLE, PA 17013
PH: (717) 243-4114
FAX: (717) 243-3301

NO.	REVISION NOTES	DATE

Drawn By: DNF

Designed By: BSC

Checked By: GSL

File: 2022-SH-009


Date: 8/21/2023

Scale: 3/16"=1'-0"

Drawing No.

A-7

All documents prepared by Brehm-Lebo Engineering, Inc., are instruments of service with respect to this project. They are not intended or represented to be suitable for reuse by owners, contractors or others on extensions of this Project or on any other project. Any reuse without written verification or adaptation by Brehm-Lebo Engineering, Inc., will be at owners sole risk and without liability or legal exposure to Brehm-Lebo Engineering, Inc., and Owner shall indemnify, and hold harmless, Brehm-Lebo Engineering, Inc., from all claims, damages, losses and expenses arising out of or resulting therefrom.



PENNSYLVANIA ONE CALL SYSTEM, INC.
1-800-242-1776
PENNSYLVANIA LAW REQUIRES NOT LESS THAN THREE (3) WORKING DAYS NOTICE BEFORE EXCAVATION
REFER TO PENNSYLVANIA ONE CALL SYSTEM, INC.
UTILITY LOCATIONS SHOWN HEREON ARE APPROXIMATE.