


SOUTH ELEVATION

SCALE: 1/4" = 1'-0"


1
A.2.1



NORTH ELEVATION

SCALE: 1/4" = 1'-0"


2
A.2.1



WEST ELEVATION

SCALE: 1/4" = 1'-0"

3
A.2.1



EAST ELEVATION

SCALE: 1/4" = 1'-0"

4
A.2.1

GENERAL NOTES:

1. REFER TO DWGS. A.1.0 AND A.1.1 FOR ADDITIONAL DEMOLITION AND CONSTRUCTION NOTES.
2. ELEVATIONS ARE DIAGRAMMATIC IN NATURE AND ARE FOR REFERENCE ONLY. ELEVATIONS SHOULD NOT BE SCALED.
3. CONTRACTOR TO DETERMINE FINAL HEIGHT AND/OR QTY. OF STEPS REQUIRED BASED UPON F.F. ELEVS & GRADE ELEVS.

CONSTRUCTION NOTES:

1. INSTALL STANDING SEAM METAL ROOF PANELS. REFER TO DWG. A.1.4.
2. EXISTING VENT PIPE SHALL BE REMOVED BY .3 CONTRACTOR.
3. 20'-0" MAXIMUM DISTANCE BETWEEN DOWNSPOUTS - TYP.
4. DOWNSPOUTS TO COLLECT IN UNDERGROUND RAINWATER LEADERS - TYP. REFER TO 'DOWNSPOUT LEADER DETAIL', DWG. A.4.1.
5. INSTALL NEW FASCIA/FLASHING/DRIP EDGE - TYP.

NO.	DESCRIPTION	DATE
REVISIONS		

Professional's Signature		
Date		

COMMONWEALTH OF PENNSYLVANIA
DEPT. OF MILITARY & VETERANS' AFFAIRS
ANNVILLE, PENNSYLVANIA 17003

DESIGN PROFESSIONALS:
OFFICE OF FACILITIES AND ENGINEERING
BUREAU OF DESIGN AND PROJECT MANAGEMENT
BUILDING 0-10, CHAPEL ROAD FORT INDIANTOWN GAP
ANNVILLE, LEBANON COUNTY, PENNSYLVANIA

PROJECT NO. 42200129

**BUILDING 12-07
RENOVATION**
CLEMENT AVE, FORT INDIANTOWN GAP
ANNVILLE, LEBANON COUNTY, PENNSYLVANIA

EXTERIOR ELEVATIONS

VERIFY SCALE		
BAR IS ONE (1) INCH LONG ON ORIGINAL DRAWING:		
0	1	
IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY		
DRAWN BY M. MORRIS	DATE 1 DEC 2023	DRAWING NO. A.2.1
CHECKED BY J. NYE	SCALE AS NOTED	