


SCALE 1/2" = 1'-0" CONCOURSE LEVEL - NEW A/V STORAGE BELOW NEW MONUMENTAL STAIR FROM CONCOURSE TO LEVEL 1 02



SCALE 1/2" = 1'-0" CONCOURSE LEVEL - EXISTING A/V STORAGE BELOW EXISTING ESCALATOR FROM CONCOURSE TO LEVEL 1 01

- GENERAL NOTES
1. KEY NOTES BELOW REFER TO ELECTRICAL RENOVATION WORK AT EXISTING ESCALATOR AND A/V ROOM BELOW.
 2. REFER TO DETAIL 01/E213 FOR KEY NOTE LOCATIONS FOR ELECTRICAL RENOVATION WORK.
 3. FOR ELECTRICAL DEMOLITION WORK, REFER TO DETAIL 01K/E213 FOR KEY NOTES & DETAIL 01/E213 FOR KEY NOTE LOCATIONS.
 4. COORDINATE ALL RENOVATION WORK WITH THE .1 GENERAL CONTRACTOR.

- KEY NOTES FOR .1 GENERAL CONTRACT
- G1 FOR THE DURATION OF THE CONSTRUCTION ACTIVITIES, THE .1 GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT ALL EXISTING CONDITIONS TO REMAIN AND SHALL ENSURE THE BUILDING'S OCCUPANTS MAY SAFELY USE SPACES IN THE AREAS OF THE BUILDING NOT BEING RENOVATED. REFER TO DRAWING A213Ad FOR ADDITIONAL DEMOLITION WORK BY .1 CONTRACTOR.

- KEY NOTES FOR .4 ELECTRICAL CONTRACT - LIGHTING AND POWER
- E1 PROVIDE NEW DUPLEX 120V RECEPTACLE. POWER FROM EXISTING RECEPTACLE CIRCUIT.
- E2 PROVIDE NEW SINGLE-POLE SWITCH.
- E3 PROVIDE NEW LIGHT FIXTURE. POWER FROM EXISTING LIGHT FIXTURE CIRCUIT. ADJUST LIGHT FIXTURE LOCATIONS IN FIELD IF NECESSARY TO WORK WITH ANGLED CEILING AND BULKHEAD LOCATIONS.

- KEY NOTES FOR .4 ELECTRICAL CONTRACT - TECHNOLOGY
- T1 RE-INSTALL SALVAGED CARD READER.
- T2 RE-INSTALL AV RECEPTACLE.

SCALE NONE KEY NOTES FOR ELECTRICAL RENOVATION WORK 02K

- GENERAL NOTES
1. KEY NOTES BELOW REFER TO ELECTRICAL RENOVATION WORK AT EXISTING ESCALATOR AND A/V ROOM BELOW.
 2. REFER TO DETAIL 01/E213 FOR KEY NOTE LOCATIONS FOR ELECTRICAL DEMOLITION WORK.
 3. FOR ELECTRICAL RENOVATION WORK, REFER TO DETAIL 02K/E213 FOR KEY NOTES & DETAIL A02/E213 FOR KEY NOTE LOCATIONS.
 4. COORDINATE ALL DEMOLITION WORK WITH THE .1 GENERAL CONTRACTOR.

- KEY NOTES FOR ALL CONTRACTS
- ALL 01 FOR THE DURATION OF THE CONSTRUCTION ACTIVITIES, THE .1 GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT ALL EXISTING CONDITIONS TO REMAIN AND SHALL ENSURE THE BUILDING'S OCCUPANTS MAY SAFELY USE SPACES IN THE AREAS OF THE BUILDING NOT BEING RENOVATED. REFER TO DRAWING A213Ad FOR ADDITIONAL DEMOLITION WORK BY .1 CONTRACTOR.

- KEY NOTES FOR .4 ELECTRICAL CONTRACT
- EC 00 REFER TO DRAWING A213Ad FOR DEMOLITION WORK TO BE PERFORMED UNDER THE .1 GENERAL CONTRACT.
- EC 01 REMOVE EXISTING CARD READER AND SALVAGE FOR RE-INSTALLATION.
- EC 02 REMOVE EXISTING JUNCTION BOX.
- EC 03 REMOVE EXISTING LIGHT SWITCH.
- EC 04 REMOVE EXISTING A/V RECEPTACLE (ESCALATOR #1 P122E) AND SALVAGE FOR RE-INSTALLATION.
- EC 05 REMOVE EXISTING DUPLEX POWER RECEPTACLE.
- EC 06 REMOVE EXISTING SURFACE-MOUNTED WIREMOLD (RACEWAY).
- EC 07 REMOVE EXISTING A/V RECEPTACLE (ESCALATOR #2 P122E) AND SALVAGE FOR RE-INSTALLATION.
- EC 08 REMOVE EXISTING LIGHT FIXTURE.
- EC 09 REMOVE EXISTING DISCONNECT SWITCH FOR ESCALATOR #1 WITHIN EQUIPMENT PIT AT LEVEL 1. PULL WIRE FROM CONDUIT BACK TO SMDP AT PARKING GATE LEVEL P1.
- EC 10 REMOVE EXISTING DISCONNECT SWITCH FOR ESCALATOR #2 WITHIN EQUIPMENT PIT AT LEVEL 1. PULL WIRE FROM CONDUIT BACK TO SMDP AT PARKING GATE LEVEL P1. REVISE CIRCUIT AND WIRE TO POWER NEW ELEVATOR. TRACE CONDUIT BACK TO PARKING GARAGE LEVEL P1 CEILING PLENUM AND INSTALL NEW JUNCTION BOX TO SPLICE WIRE FEE TO NEW ELEVATOR.

SCALE NONE KEY NOTES FOR ELECTRICAL DEMOLITION WORK 01K

SCALE & DIMENSIONS

BASE BIDS

BAR IS ONE (1) INCH LONG ON THIS DRAWING

IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS. VARIANCE FROM CONTRACT NOT PERMITTED WITHOUT BUREAU OF ENGINEERING AND ARCHITECTURE APPROVAL.

ALL WORK SHOWN ON THIS DRAWING IS INCLUDED IN BASE BID 01, UNLESS NOTED OTHERWISE ON THIS DRAWING.

REFER TO PROJECT MANUAL FOR FULL DESCRIPTION OF ALL BASE BIDS.

BUILDING KEY PLAN

ELECTRICAL DEVICE LEGEND

JB	JUNCTION BOX
DISCONNECT SWITCH	
120V DUPLEX POWER RECEPTACLE	
LIGHT FIXTURE/SCONCE	
EXISTING LIGHT FIXTURE	
LED LIGHT FIXTURE	
DPS	DOOR POSITION SWITCH
ML	MAGNETIC LOCK WITH DPS
REX	REQUEST TO EXIT DEVICE
CR	EMERGENCY CALL STATION
CCTV	CCTV CAMERA
S	SMOKE DETECTOR
PA	PUBLIC ADDRESS SYSTEM SPEAKER
FA	FIRE ALARM NOTIFICATION DEVICE

VITETTA PROJECT 4645, 01 PRE-ALARM MANUAL PULL STATION

ALL DIMENSIONS MUST BE VERIFIED BY THE CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION

FA FIRE ALARM AUDIO/VISUAL DEVICE

19	29
67	49
15	15
13	14
11	12
09	10
07	08
05	06
03	04
01	02

No.	DESCRIPTION	No.	DESCRIPTION
AS-BUILT REVISIONS			

01.04.2024

VITETTA Professional's Signature

Consultant Professional's Signature

Date

VITETTA

ARCHITECTURE • ENGINEERING • PLANNING

NOTHING PRESERVATION

645 NORTH 12TH STREET • SUITE 100

LEWISBURG • PENNSYLVANIA • 17043

COMMONWEALTH OF PENNSYLVANIA

DEPARTMENT OF GENERAL SERVICES

HARRISBURG, PENNSYLVANIA

DGS PROJECT NUMBER

C-0948-0101 PHASE 001

CAPITOL EAST WING

REPLACEMENT OF ESCALATORS WITH ELEVATOR

HVAC DIFFUSERS & CAFETERIA UPGRADES

HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA

CONCOURSE

A/V ROOM UNDER MONUMENTAL STAIR

ELECTRICAL DEMO & RENO

DRAWN BY	DATE	DRAWING NUMBER
J. JOLIN	01.04.2024	E213
CHECKED BY	SCALE	
D. VOZDZAK	AS NOTED	

DRAWING IS INTENDED FOR COLOR PRINTING

FILEPATH: P:\Projects\4645_01\LEC\4645_E213_Concourse_AVRoom_ELEC.dwg PLOTTED BY: JOLIN
LAST SAVED: 23.12.2012 12:17 PM