


DOOR SCHEDULE																
OPENING NUMBER	DOOR & FRAME UL RATING	DOOR							FRAME				HARDWARE SET	SPECIAL DETAIL	REMARKS	
		DOOR TYPE	DOOR MATERIAL	GLAZING TYPE	DIMENSIONS				FRAME TYPE	FRAME MATERIAL	DETAILS					
					WIDTH		HEIGHT	THICKNESS			HEAD	JAMB				
					LEAF 1	LEAF 2										
First Floor																
A101	--	FG2	ALUM	IG	3'-0"		7'-0"	2 1/2"	A5	ALUM	--	--	2	CARD READER	SEE FRAME ELEVATION FOR DETAILS	
A102	--	FG2	ALUM	IG	3'-0"		7'-0"	2 1/2"	A5	ALUM	--	--	1	--	SEE FRAME ELEVATION FOR DETAILS	
A103	--	FG2	ALUM	IG	3'-4"	3'-4"	7'-0"	2 1/2"	A6	ALUM	--	--	3	--	SEE FRAME ELEVATION FOR DETAILS	
A104	--	FG2	ALUM	IG	3'-4"	3'-4"	7'-0"	2 1/2"	W1	ALUM	--	--	3	--	SEE FRAME ELEVATION FOR DETAILS	
A105	--	F	ALUM	--	3'-4"	3'-4"	7'-0"	2 1/2"	W1	ALUM	--	--	3	--	SEE FRAME ELEVATION FOR DETAILS	
A106	--	F	ALUM	--	3'-4"	3'-4"	7'-0"	2 1/2"	W1	ALUM	--	--	4	CARD READER	SEE FRAME ELEVATION FOR DETAILS	
A107	--	F	ALUM	--	3'-0"		7'-0"	2 1/2"	W2	ALUM	--	--	2	CARD READER	SEE FRAME ELEVATION FOR DETAILS	

DOOR TYPES

* - RECOMMENDED MOUNTING HEIGHT FROM FINISHED FLOOR TO CENTER LINE OF FIRE EXIT DEVICE
** - COORDINATE WITH DOOR MANUFACTURE REQUIREMENTS




GLAZING LEGEND	
	CLEAR GLAZING
	ACID ETCHED GLAZING
	SPANDREL PANEL
	LAMINATED GLAZING

ISSUED FOR BID

ALL REPORTS, PLANS, SPECIFICATIONS AND COMPUTER FILES RELATING TO THIS PROJECT ARE THE PROPERTY OF CRABTREE, ROHRBAUGH & ASSOCIATES. CRABTREE, ROHRBAUGH & ASSOCIATES RETAINS ALL COMMON LAW, STATUTE AND OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT THEREIN. REPRODUCTION OF THE MATERIAL HEREIN OR SUBSTANTIAL USE WITHOUT WRITTEN PERMISSION OF CRABTREE, ROHRBAUGH & ASSOCIATES VIOLATES THE COPYRIGHT LAWS OF THE UNITED STATES AND WILL BE SUBJECT TO LEGAL PROSECUTION. © CRABTREE, ROHRBAUGH & ASSOCIATES, INC. 2024



ALUMINUM STOREFRONT ELEVATIONS

NOTE: 1. ALL GLASS TO BE TEMPERED ADJACENT TO A DOOR WHERE THE NEAREST EXPOSED EDGE OF THE GLAZING IS WITHIN A 24 INCH ARC OR EITHER VERTICAL EDGE OF THE DOOR IN A CLOSED POSITION.
2. GLASS LITES GREATER THAN 5 SQUARE FEET WHERE THE BOTTOM EDGE IS WITHIN 18 INCHES OF THE FINISHED FLOOR AND THE TOP EDGE EXTENDS ABOVE 36 INCHES AFF SHALL BE TEMPERED.
3. GLASS WHERE THE FINISHED FLOOR OR GRADE ON THE OPPOSING SIDE OF GLASS IS GREATER THAN 30 INCHES SHALL BE TEMPERED TO A HEIGHT OF 42 INCHES AFF.
4. ANY PORTION OF GLASS WITHIN CONSTRAINTS OF ABOVE REQUIREMENTS THE ENTIRE PANEL SHALL BE TEMPERED.



ALUMINUM CURTAIN WALL ELEVATIONS (6" FRAMES)

NOTE: 1. ALL GLASS TO BE TEMPERED ADJACENT TO A DOOR WHERE THE NEAREST EXPOSED EDGE OF THE GLAZING IS WITHIN A 24 INCH ARC OR EITHER VERTICAL EDGE OF THE DOOR IN A CLOSED POSITION.
2. GLASS LITES GREATER THAN 5 SQUARE FEET WHERE THE BOTTOM EDGE IS WITHIN 18 INCHES OF THE FINISHED FLOOR AND THE TOP EDGE EXTENDS ABOVE 36 INCHES AFF SHALL BE TEMPERED.
3. GLASS WHERE THE FINISHED FLOOR OR GRADE ON THE OPPOSING SIDE OF GLASS IS GREATER THAN 30 INCHES SHALL BE TEMPERED TO A HEIGHT OF 42 INCHES AFF.
4. ANY PORTION OF GLASS WITHIN CONSTRAINTS OF ABOVE REQUIREMENTS THE ENTIRE PANEL SHALL BE TEMPERED.



CRABTREE ROHRBAUGH & ASSOCIATES - ARCHITECTS

www.cra-architects.com

TOWSON, MARYLAND

CHARLOTTESVILLE, VIRGINIA

WHITE SULPHUR SPRINGS, WEST VIRGINIA

401 EAST WINDING HILL ROAD

MECHANICSBURG PA 17055

717-458-0272

PENN STATE HARRISBURG

LIBRARY WINDOW REPLACEMENT

PSU BUILDING NO. 0985-026

777 W. HARRISBURG PIKE

MIDDLETOWN, PA 17057



DOOR SCHEDULE & ALUMINUM STOREFRONT ELEVATIONS

PLOT SCALE: As indicated

FILENAME:

DATE: FEBRUARY 23, 2024

PSU PROJECT NO. 00-08549.00

DGS PROJECT NO. 800-311

A6.1