



GENERAL SHEET NOTES

1. REFER TO SHEET AE601 FOR ADDITIONAL INFORMATION
ON DOORS PRESS BOX AND DOOR HARDWARE

SEAT COUNT INFORMATION

18" BENCH SEATS : 493
WHEEL CHAIR SPACES: 7
TOTAL SEAT COUNT: 500

REFERENCE KEYNOTES

SHEET KEYNOTES

25	ACCESSIBLE ROOM SIGN
51	FACE MOUNTED GUARDRAIL / HANDRAIL - REFERENCE DETAIL
52	FACE MOUNTED GUARDRAIL

Thermal Performance

THE PRESS BOX SHALL COMPLY WITH THE INTERNATIONAL ENERGY CONSERVATION CODE OF 2018

THE PRESCRIPTIVE METHOD WAS FOLLOWED IN ASSIGNING THE MINIMUM INSULATION RATING TO THE EXTERIOR WALLS, FLOOR, AND ROOF, AND THE U-FACTOR AND SHGC VALUE TO THE FENESTRATION.

SEE ETIA6043 AND RELATED KEYNOTES.

SHOULD THE PRESSBOX FABRICATOR CHOOSE DIFFERENT INSULATION VALUES, U-VALUE, OR SHGC - DOCUMENTATION OF ENERGY CODE COMPLIANCE SHOULD BE SUBMITTED.

NFRC 200 - SHALL BE USED FOR DETERMINING FENESTRATION PRODUCT SOLAR HEAT GAIN COEFFICIENT

NFRC 100 - SHALL BE USED FOR DETERMINING THE U-FACTORS OF WINDOWS AND DOORS