



61	26 INSULATED TRIM (TYP)
62	INSULATE CAVITY WALLS-R13 MIN. W/ ARMORELECT WHITE CONTINUOUS WRAP
63	CONTINUOUS WRAP INSULATOR-R7.5 MIN.
64	ROOF INSULATION R38 MIN.
65	FLOOR INSULATION R30 MIN.
66	26 GAUGE MCI 3" P PANEL WITH CLOSURE STRIPS
67	FLOOR SUPPORT STRUCTURE
68	1" 4-WAY METAL ROOF CONTINUOUS WELDED SEAMS COATED WITH METAL PRIMER AND 36 MILS OF WHITE ELASTOMERIC ROOF COATING
69	ALUMINUM DOOR SYSTEM
70	WINDOWS DOUBLE GLAZED WITH A SHGC VALUE LESS OR EQUAL TO 0.38, & U-VALUE OF LESS OR EQUAL TO 0.33 FOR FIXED PANE, AND LESS OR EQUAL TO 0.35 FOR SLIDING PANE.
71	1/2" GYP-KR ACoustICAL CEILING TILES
72	1/2" VINYL SURFACED GYPSUM PANELS
73	4" VINYL COBE BASE
74	METAL CORNER ATTACHMENT
75	ANODIZED ALUMINUM COUNTER TOP
76	STAIR EDGE FASCIA TO ATTACH HUDI CAMERA

310 PENN STREET, SUITE 10
HOLLIDAYSBURG, PA 16648
PHONE: 814-317-5037
E-MAIL: rdwinyy@DAStructures.com
dastructures.com

PROJECT TITLE:

DRAWN BY: Author
CHECKED BY: Checker
COPYRIGHT © WEBER MURPHY FOX INC. 2022
DRAWING NO.

AE403