


PARTIAL SECOND FLOOR REFLECTED CEILING PLAN - UNIT C
SCALE: 1/8" = 1'-0"


CEILING EQUIPMENT LEGEND		CEILING TYPE LEGEND	
SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION
	HVAC RETURN GRILLE		GYP. BOARD (PTD.)
	HVAC DIFFUSER		2' X 2' ACOUSTICAL TILE CEILING - TYPE 1
	EXHAUST GRILLE		2' X 4' ACOUSTICAL TILE CEILING - TYPE 1
	PROJECTOR		2' X 4' ACOUSTICAL TILE CEILING - TYPE 2
	WiFi DEVICE		2' X 4' ACOUSTICAL TILE CEILING - TYPE 3
	EXIT SIGN		EXPOSED STRUCTURE
	LIGHT FIXTURE		EXISTING CONCRETE CEILING TO REMAIN
	LIGHT FIXTURE		EXISTING CEILING TO REMAIN
	CAMERA		RECOAT EXISTING EIFS (INCLUDING VERTICAL SURFACES)
	SMOKE / HEAT DETECTOR	BULKHEAD TYPE LEGEND	
	SPRINKLER HEAD	SYMBOL	DESCRIPTION
	SPEAKER		GYP. BD. BULKHEAD (DETAIL 1A-13A)
	TV MOUNT		EXISTING GYP. BD. BULKHEAD TO REMAIN (PTD.)
	POWER DROP	REFER TO ROOM FINISH SCHEDULES FOR CEILING HEIGHTS.	
	FIRE ALARM AUDIO/VISUAL UNIT	GENERAL NOTES	
	FIRE ALARM VISUAL UNIT	A. IN CANOPIES TO REMAIN, GO SHALL FASHION COVER PLATE AT LOCATIONS WHERE LIGHTS ARE BEING REMOVED. COVER PLATE SHALL BE .060 ALUMINUM MINIMUM AND SHALL PROVIDE SUFFICIENT SUPPORT FOR NEW LIGHT FIXTURE INSTALLATION. COVER PLATE SHALL BE FINISHED TO MATCH EXISTING CEILING AS CLOSELY AS POSSIBLE.	
	FIRE ALARM AUDIO UNIT	B. EXPANSION JOINTS IN CEILINGS SHALL BE REPLACED AT ALL BUILDING EXPANSION CONDITIONS.	
	OCCUPANCY SENSOR		
	DAYLIGHT SENSOR		

REFER TO DRAWING A-22 FOR TYPICAL SCHEDULES, LEGENDS AND RENOVATION NOTES
REFER TO DRAWING A-24, A-25 FOR TYPICAL DETAILS.



1/8" PARTIAL SECOND FLOOR REFLECTED CEILING PLAN - UNIT C

RENOVATIONS TO THE COCCALICO MIDDLE SCHOOL
COCCALICO SCHOOL DISTRICT
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY, PA



AEM ARCHITECTS, INC.
3700 PERKINS AVENUE, READING, PA 19606-2785
Phone: 610.779.3320 Fax: 610.779.3322
www.aem-arch.com

ALL DIMENSIONS AND EXISTING CONDITIONS
SHALL BE CHECKED AND VERIFIED
BY THE CONTRACTOR AT THE SITE.
JOB NO.: 23001.00
DRAWN BY: SLS
DATE: 04.12.24