

DEMOLITION NOTES:

** G.C. SHALL COORDINATE DEMOLITION WITH ALL CONTRACTORS **
** ALL DEMOLITION INDICATED ON THIS SHEET SHALL
BE PERFORMED BY THE G.C. UNLESS OTHERWISE NOTED **

- 3A) REMOVE EXISTING CONCRETE STAIRS.
- 3B) REMOVE EXISTING CONCRETE SLAB AS INDICATED BY SHADED AREA AND AS REQUIRED FOR NEW CONSTRUCTION.
- 3C) REMOVE EXISTING CONCRETE LOCKER BASE. PATCH AREA AS REQUIRED AND MAKE FLUSH WITH FLOOR SLAB.
- 3D) REMOVE EXISTING LOUVERS IN CRAWLSPACE.
- 5A) REMOVE EXISTING STEEL TV MOUNT AND SUPPORT ABOVE CEILING.
- 5B) REMOVE EXISTING RAILING AND ALL ASSOCIATED COMPONENTS.
- 5C) REMOVE EXISTING ROOF ACCESS AND ALL ASSOCIATED COMPONENTS.
- 5D) REMOVE EXISTING CATWALK AND ALL ASSOCIATED COMPONENTS, STRUCTURE AND SUPPORTS.
- 7A) REMOVE EXISTING DOWNSPOUT
- 8A) REMOVE EXISTING DOOR(S), FRAME(S) AND HARDWARE.
- 8B) EXISTING DOOR(S) AND FRAME TO REMAIN. REMOVE EXISTING HARDWARE.
- 9C) REMOVE EXISTING SKYLIGHTS
- 9D) REMOVE COILING SHUTTER AND ALL ASSOCIATED COMPONENTS AND SUPPORTS. LOCATION WITH D IS COILING DOOR.
- 9E) REMOVE EXISTING HVAC GRILLE AND ALL ASSOCIATED COMPONENTS.
- 9A) REMOVE EXISTING CEILING SYSTEM AND ALL ASSOCIATED COMPONENTS, STRUCTURE AND SUPPORTS.
- 9B) REMOVE EXISTING VCT FLOORING.
- 9C) REMOVE EXISTING RESILIENT FLOORING.
- 9D) REMOVE EXISTING CARPET FLOORING.
- 9E) REMOVE EXISTING ACOUSTICAL WALL PANELS AND ALL ASSOCIATED COMPONENTS
- 9F) REMOVE EXISTING WALL CONSTRUCTION AS INDICATED AND AS REQUIRED FOR NEW CONSTRUCTION.
- 9G) REMOVE EXISTING ACOUSTICAL CEILING CLOUDS AND ALL ASSOCIATED SUPPORTS AND COMPONENTS.
- 9H) REMOVE EXISTING GYPSUM BOARD SOFFIT AND ALL ASSOCIATED COMPONENTS.
- 9J) REMOVE EXISTING TERRAZZO FLOORING AND CONCRETE SLAB AS INDICATED BY HATCHED AREA.
- 9K) REMOVE EXISTING QUARRY TILE CURB.
- 9L) REMOVE EXISTING WOOD FLOORING AND SLEEPERS AS DETAILED.
- 10A) REMOVE EXISTING TOILET ACCESSORIES AND MOUNTING HARDWARE.
- 10B) REMOVE EXISTING TOILET COMPARTMENTS IN THEIR ENTIRETY.
- 10C) REMOVE EXISTING OPERABLE PARTITION AND ALL ASSOCIATED COMPONENTS.
- 10D) REMOVE EXISTING TACKBOARD / MARKERBOARD / CHALKBOARD AND ALL ASSOCIATED COMPONENTS.
- 10E) REMOVE EXISTING LOCKERS.
- 10F) REMOVE EXISTING COLUMN COVER.
- 10G) REMOVE EXISTING PROJECTION SCREEN AND ALL ASSOCIATED COMPONENTS.
- 11A) REMOVE EXISTING WALL PADDING.
- 12A) REMOVE EXISTING CASEWORK, COUNTERTOP, BACKSPLASH, SHELVING AND BLOCKING.
- 12B) REMOVE EXISTING BUILT-IN WOOD SHELVING.
- 12C) REMOVE EXISTING FIXED AUDITORIUM SEATING AND ALL ASSOCIATED COMPONENTS.
- 12D) REMOVE EXISTING HORIZONTAL LOUVER BLINDS AND ALL ASSOCIATED COMPONENTS.
- 12E) REMOVE EXISTING ENTRANCE MAT, FRAME AND ALL ASSOCIATED COMPONENTS.
- 14A) REMOVE EXISTING DUMBWAITER DOORS, CAR, AND ALL ASSOCIATED COMPONENTS.
- 22) P.C. DEMO. (REFER TO MEP DEMO. DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL INFO.)
- 23) H.C. DEMO. (RREFER TO MEP DEMO. DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL INFO.)
- 26) E.C. DEMO. (REFER TO MEP DEMO. DRAWINGS AND SPECIFICATIONS FOR ADDITIONAL INFO.)
- 32) REMOVE EXISTING METAL WINDOW WELL AND INFILL WITH SOIL UP TO EXISTING GRADE.


KEYED SALVAGE NOTES:

- A) SALVAGE, PROTECT AND STORE FIRE EXTINGUISHER CABINET FOR REINSTALLATION.
- B) SALVAGE, PROTECT AND STORE P. LAM. CASEWORK, CASEWORK, BACKSPLASH ETC. FOR REINSTALLATION IN SAME LOCATION.
- C) SALVAGE, PROTECT AND STORE METAL LOCKERS FOR REINSTALLATION.
- D) SALVAGE, PROTECT AND STORE P. LAM. CASEWORK, COUNTERTOP, BACKSPLASH ETC FOR REINSTALLATION IN NEW LOCATION.
- E) SALVAGE, PROTECT AND STORE STUDENT SIGN-OUT DESK, PASS HOLDER AND PENCIL SHARPENER FOR REINSTALLATION.
- F) SALVAGE, PROTECT AND STORE FIRE EXTINGUISHER AND FIRE BLANKET FOR REINSTALLATION.
- G) SALVAGE, PROTECT AND STORE PLAQUES IN THIS AREA. REINSTALL IN NEW AREA AS DIRECTED BY OWNER.

GENERAL DEMOLITION NOTES:


** G.C. SHALL COORDINATE DEMOLITION WITH ALL CONTRACTORS **
** ALL DEMOLITION INDICATED ON THIS SHEET SHALL BE PERFORMED
BY THE G.C. UNLESS OTHERWISE NOTED **

- A) DEMOLITION NOTED IS PROVIDED TO FURNISH AN UNDERSTANDING OF THE SCOPE OF DEMOLITION REQUIRED AND MAY NOT NECESSARILY BE ALL INCLUSIVE OF ALL DEMOLITION REQUIRED FOR THE INCORPORATION OF NEW WORK. ALL DEMOLITION WORK REQUIRED TO ACCOMMODATE NEW CONSTRUCTION SHALL BE INCLUDED AS PART OF THE CONTRACT. CONTRACTOR SHALL REVIEW ALL CONSTRUCTION DOCUMENTS TO UNDERSTAND THE SCOPE OF DEMOLITION REQUIRED FOR NEW WORK. ALL DEMOLITION SHALL BE COORDINATED WITH THE OTHER CONSTRUCTION DOCUMENTS. REFER TO MEP DRAWINGS FOR ADDITIONAL MEP DEMOLITION REQUIREMENTS.
- B) ALL REMAINING SURFACES TO BE EXPOSED AFTER DEMOLITION SHALL BE PATCHED, REPAIRED AND REFINISHED TO MATCH EXISTING ADJACENT FINISH CONDITIONS. ALL REMAINING SURFACES TO BE CONCEALED BY NEW WORK SHALL BE PREPARED AS REQUIRED FOR THE NEW WORK. REFER TO SPECIFICATIONS AND PRODUCT REQUIREMENTS FOR SPECIFIC CUTTING AND PATCHING METHODS REQUIRED FOR DEMOLITION WORK.
- C) WHERE EQUIPMENT OR SYSTEMS ARE INDICATED FOR DEMOLITION, ALL PARTS AND ASSEMBLIES OF THE EQUIPMENT OR SYSTEMS SHALL BE REMOVED INCLUDING BLOCKING, SUPPORTS, HANGERS, ETC. REFER TO MEP DRAWINGS FOR ADDITIONAL INFORMATION FOR MEP DEMOLITION.
- D) CONTRACTORS SHALL REVIEW ALL EXISTING CONDITIONS TO UNDERSTAND THE SCOPE OF THE WORK PRIOR TO SUBMITTING BIDS.
- E) ALL DEMOLITION SHALL BE COORDINATED WITH PROJECT PHASING SCHEDULE AND THE PROGRESS OF THE WORK TO ENSURE ALL EXISTING SYSTEMS REMAIN OPERABLE DURING WORK.
- F) ALL ACOUSTICAL CEILINGS SHALL BE DEMOLISHED UNLESS NOTED OTHERWISE. HARD CEILINGS SHALL REMAIN UNLESS NOTED OTHERWISE. REFER TO DRAWINGS A-8 THROUGH A-16 FOR AREAS OF HARD CEILING TO REMAIN.
- G) ALL RESILIENT BASE SHALL BE REMOVED UNLESS NOTED OTHERWISE. REFER TO DRAWING A-22 RENOVATION NOTES FOR ADDITIONAL INFORMATION.
- H) IN ALL AREAS WHERE NEW FLOORING IS INDICATED, EXISTING FLOORING SHALL BE REMOVED UNLESS SPECIFICALLY NOTED OTHERWISE.



BASEMENT / CRAWL SPACE DEMOLITION PLAN
SCALE: 1" = 20'-0"

REFER TO DRAWING A-22 FOR TYPICAL SCHEDULES, LEGENDS AND RENOVATION NOTES
REFER TO DRAWING A-24, A-25 FOR TYPICAL DETAILS.



1:20 BASEMENT / CRAWL SPACE DEMOLITION PLAN

RENOVATIONS TO THE COCALICO MIDDLE SCHOOL
COCALICO SCHOOL DISTRICT
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY, PA

ALL DIMENSIONS AND EXISTING CONDITIONS
SHALL BE CHECKED AND VERIFIED
BY THE CONTRACTOR AT THE SITE.

JOB NO.: 23001.00
DRAWN BY: SRHJFS/SLS
DATE: 04.12.24