


DRAWING NOTES:

1. PROVIDE DATA JACK AND CABLING PER SPECIFICATIONS, ABOVE ACCESSIBLE CEILING AT EXISTING CAMERA LOCATION. TEST WIRING TO ENSURE PROPER FUNCTION. AT EXTERIOR LOCATIONS, DATA JACK SHALL BE LOCATED JUST INSIDE BUILDING, CONCEALED WHERE POSSIBLE, AND STUB 1" CONDUIT THROUGH WALL TO CAMERA LOCATION.
2. REWIRE EXISTING CARD READER TO NEW DOOR HARDWARE COMPONENTS AS REQUIRED TO ACHIEVE SECURE DOOR ENTRANCE OPERATION.

CONSOLIDATED
ENGINEERS

CIE



AEM ARCHITECTS INC.
3700 PERKINSON AVENUE, READING, PA 19606-2795
Phone: 610.779.3320 Fax: 610.779.3322 www.aem-arch.com

FIRST FLOOR PLAN - SYSTEMS
RENOVATIONS TO THE COCCALICO MIDDLE SCHOOL
COCCALICO SCHOOL DISTRICT
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY PA

ALL DIMENSIONS AND EXISTING CONDITIONS
SHALL BE CHECKED AND VERIFIED
BY THE CONTRACTOR AT THE SITE.
JOB NO.: 23001.00
DRAWN BY: DS
DATE: 04.12.24

E-3