


**BASEMENT FLOOR PLAN - SYSTEMS**

SCALE: 1" = 20'-0"

RUN ALL DATA CABLING FOR THIS AREA TO IDF #3 ROOM.  
REFER TO POWER PLANS FOR QUANTITIES.




**SECOND FLOOR PLAN - SYSTEMS**

SCALE: 1" = 20'-0"

**DRAWING NOTES:**

1. PROVIDE DATA JACK AND CABLING PER SPECIFICATIONS, ABOVE ACCESSIBLE CEILING AT EXISTING CAMERA LOCATION. TEST WIRING TO ENSURE PROPER FUNCTION. AT EXTERIOR LOCATIONS, DATA JACK SHALL BE LOCATED JUST INSIDE BUILDING, CONCEALED WHERE POSSIBLE, AND STUB 1" CONDUIT THROUGH WALL TO CAMERA LOCATION.
2. REWIRE EXISTING CARD READER TO NEW DOOR HARDWARE COMPONENTS AS REQUIRED TO ACHIEVE SECURE DOOR ENTRANCE OPERATION.



**BASEMENT AND SECOND FLOOR PLANS - SYSTEMS**  
**RENOVATIONS TO THE COCALICO MIDDLE SCHOOL**  
**COCALICO SCHOOL DISTRICT**  
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY, PA

ALL DIMENSIONS AND EXISTING CONDITIONS  
SHALL BE CHECKED AND VERIFIED  
BY THE CONTRACTOR AT THE SITE.

JOB NO.: 23001.00  
DRAWN BY: DS  
DATE: 04.12.24

