



PARTIAL FLOOR PLAN
SCALE: 1/4" = 1'-0"



PARTIAL FLOOR PLAN
SCALE: 1/4" = 1'-0"



THE GENERAL CONTRACTOR SHALL PROVIDE 1/2" FIRE RATED PLYWOOD OR 14 GA. METAL SHEETS FOR WALL BLOCKING BETWEEN STUDS AT HEIGHTS PER THE WALL BACKING SCHEDULE LISTED BELOW.

NOTE : CONCRETE MASONARY WALLS DO NOT REQUIRE BLOCKING.

WALL BACKING SCHEDULE

(NOTE: SOME OF THE WALL BACKING REQUIREMENTS LISTED BELOW MAY NOT APPLY TO THIS PROJECT. SEE PLAN FOR LOCATIONS AND NOTES WHERE THESE MAY APPLY.)

- WB1 WALL BACKING FOR WALL SHELVING TO BEGIN AT 48" AFF UP TO 84" AFF.
- WB2 WALL BACKING FOR HAND SINKS TO BEGIN AT 24" AFF UP TO 54" AFF.
- WB3 WALL BACKING FOR SERVICE SINK FAUCET TO BEGIN AT 30" AFF UP TO 54" AFF.
- WB4 WALL BACKING FOR WATER FILTRATION SYSTEMS TO BEGIN AT 42" AFF UP TO 66" AFF.
- WB5 WALL BACKING FOR UNDERCOUNTER WATER FILTRATION SYSTEMS TO BEGIN AT 12" AFF UP TO 28" AFF.
- WB6 WALL BACKING FOR WALL MOUNTED PRE-RINSE SPRAY FAUCETS TO BEGIN AT 36" AFF UP TO 12" AFF.
- WB7 WALL BACKING FOR WALL MOUNTED EXHAUST HOODS TO BEGIN AT 18" AFF UP TO 48" AFF.
- WB8 WALL BACKING FOR FIRE PROTECTION SYSTEMS TO BEGIN AT FINISHED CEILING DOWN 30" AFF.
- WB9 WALL BACKING FOR HOSE REEL TO BEGIN AT 36" AFF UP TO 12" AFF.
- WB10 WALL BACKING FOR CONTROL PANELS TO BEGIN AT 48" AFF UP TO 84" AFF.

WALL BACKING DETAIL

N.T.S.


01

GENERAL NOTES

- GENERAL CONTRACTOR TO COORDINATE FINAL LOCATION OF CONDENSING UNITS WITH SINGER EQUIPMENT COMPANY, ARCHITECT AND OWNER.
- GENERAL CONTRACTOR TO VERIFY WITH ARCHITECT AND STRUCTURAL ENGINEER THAT THE ROOF WILL SUPPORT THE CONDENSING UNITS IN THE FINAL LOCATIONS.
- IF THE CONDENSING UNITS ARE LOCATED MORE THAN 25' AWAY FROM THE WALK-IN BOX, GENERAL CONTRACTOR TO NOTIFY SINGER EQUIPMENT COMPANY PRIOR TO INSTALLATION OF ROOF CUREDS, PITCH POCKETS AND CONDENSING UNITS.
- IF WALLS ARE FIRE RATED, &C., TO USE METAL STUDS FOR WALL BLOCKING IN PLACE OF PLYWOOD.

SPECIAL CONDITIONS

RENOVATIONS TO THE COCALICO MIDDLE SCHOOL
COCALICO SCHOOL DISTRICT
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY, PA



AEM ARCHITECTS, INC.
3700 PERKIDOMEN AVENUE, READING, PA 19606-2785
Phone: 610.779.3320 Fax: 610.779.3822 www.aem-arch.com

ALL DIMENSIONS AND EXISTING CONDITIONS
SHALL BE CHECKED AND VERIFIED
BY THE CONTRACTOR AT THE SITE.
JOB NO.: 23001.00
DRAWN BY: ACW
DATE: 04.12.24

FS-4