


SECOND FLOOR PLAN - AREA E - PLUMBING  
SCALE: 1/8" = 1'-0"

THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL ELECTRICAL PANEL LOCATIONS (INSIDE ELECTRICAL AND OUTSIDE ELECTRICAL ROOMS) WITH PIPING LAYOUTS PRIOR TO PIPING INSTALLATION. THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR MEETING ALL N.E.C. (NATIONAL ELECTRIC CODE) CLEARANCES BEFORE INSTALLING ANY PIPING. THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL COSTS RESULTING TO REWORKING (REMOVING AND REINSTALLING) PIPING INSTALLED IN CONFLICT WITH ELECTRICAL PANELS/EQUIPMENT CLEARANCES.

DRAWING NOTES:

1. PROVIDE THE MINIMUM REQUIRED SERVICE CLEARANCES FOR ALL EQUIPMENT AS RECOMMENDED BY THE EQUIPMENT MANUFACTURER.
2. ALL OVERHEAD DOMESTIC WATER, SANITARY AND VENT PIPING MUST BE ROUTED EITHER UP IN BETWEEN BAR JOIST OR THROUGH BAR JOIST WEBBING UNLESS OTHERWISE NOTED.



SECOND FLOOR PLAN - AREA E - PLUMBING  
RENOVATIONS TO THE COCALICO MIDDLE SCHOOL  
COCALICO SCHOOL DISTRICT  
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY, PA

ALL DIMENSIONS AND EXISTING CONDITIONS  
SHALL BE CHECKED AND VERIFIED  
BY THE CONTRACTOR AT THE SITE.  
JOB NO.: 23001.00  
DRAWN BY: SA  
DATE: 04.12.24

P-E2



AEM ARCHITECTS INC.  
3700 PERKINS AVENUE, READING, PA 19606-2785  
Phone: 610.779.3220 Fax: 610.779.8022  
www.aem-arch.com

CONSOLIDATED  
ENGINEERS  
1022 James Drive  
Lansport, PA 15533  
Tel: 610.916.1000 Fax: 610.916.1001  
Internet: www.consolidatedengineers.com

