

CRAWLSPACE PLAN - UNITS C, D & E - PLUMBING  
SCALE: 3/32" = 1'-0"


KEYED DRAWING NOTES:

- 1. REMOVE EXISTING BALANCING VALVE AND PROVIDE NEW CALIBRATED BALANCING VALVE, SHUT-OFF AND CHECK VALVES. ADJUST FLOW FOR 1.0 GPM.
- 2. PROVIDE CALIBRATED BALANCING VALVE, SHUT-OFF AND CHECK VALVES. ADJUST FLOW FOR 0.5 GPM.
- 3. PROVIDE CALIBRATED BALANCING VALVE, SHUT-OFF AND CHECK VALVES. ADJUST FLOW FOR 1.0 GPM.
- 4. PROVIDE CALIBRATED BALANCING VALVE, SHUT-OFF AND CHECK VALVES. ADJUST FLOW FOR 1.5 GPM.
- 5. PROVIDE CALIBRATED BALANCING VALVE, SHUT-OFF AND CHECK VALVES. ADJUST FLOW FOR 2.0 GPM.

DRAWING NOTES:

1. PROVIDE THE MINIMUM REQUIRED SERVICE CLEARANCES FOR ALL EQUIPMENT AS RECOMMENDED BY THE EQUIPMENT MANUFACTURER.
2. ALL OVERHEAD DOMESTIC WATER, SANITARY AND VENT PIPING MUST BE ROUTED EITHER UP IN BETWEEN BAR JOIST OR THROUGH BAR JOIST WEBBING UNLESS OTHERWISE NOTED.

THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL ELECTRICAL PANEL LOCATIONS (INSIDE ELECTRICAL AND OUTSIDE ELECTRICAL ROOMS) WITH PIPING LAYOUTS PRIOR TO PIPING INSTALLATION. THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR MEETING ALL N.E.C. (NATIONAL ELECTRIC CODE) CLEARANCES BEFORE INSTALLING ANY PIPING. THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL COSTS RESULTING FROM REWORKING (REMOVING AND REINSTALLING) PIPING INSTALLED IN CONFLICT WITH ELECTRICAL PANELS/EQUIPMENT CLEARANCES.



CRAWLSPACE PLAN - UNITS C, D & E - PLUMBING  
RENOVATIONS TO THE COCALICO MIDDLE SCHOOL  
COCALICO SCHOOL DISTRICT  
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY PA

ALL DIMENSIONS AND EXISTING CONDITIONS  
SHALL BE CHECKED AND VERIFIED  
BY THE CONTRACTOR AT THE SITE.  
JOB NO.: 23001.00  
DRAWN BY: RLC  
DATE: 04.12.24