

SECOND FLOOR PLAN - AREA C - PLUMBING  
SCALE: 1/8" = 1'-0"


THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL ELECTRICAL PANEL LOCATIONS (INSIDE ELECTRICAL AND OUTSIDE ELECTRICAL ROOMS) WITH PIPING LAYOUTS PRIOR TO PIPING INSTALLATION. THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR MEETING ALL N.E.C. (NATIONAL ELECTRIC CODE) CLEARANCES BEFORE INSTALLING ANY PIPING. THE PLUMBING CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL COSTS RESULTING FROM REWORKING (REMOVING AND REINSTALLING) PIPING INSTALLED IN CONFLICT WITH ELECTRICAL PANELS/EQUIPMENT CLEARANCES.

**DRAWING NOTES:**

1. PROVIDE THE MINIMUM REQUIRED SERVICE CLEARANCES FOR ALL EQUIPMENT AS RECOMMENDED BY THE EQUIPMENT MANUFACTURER.
2. ALL OVERHEAD DOMESTIC WATER, SANITARY AND VENT PIPING MUST BE ROUTED EITHER UP IN BETWEEN BAR JOIST OR THROUGH BAR JOIST WEBBING UNLESS OTHERWISE NOTED.

**KEYED DRAWING NOTES:**

- ⬠ RELOCATE EXISTING SAFETY / EYEWASH / SINK SYSTEM. DISCONNECT AND RECONNECT EXISTING UTILITIES AND DWV PIPING TO EXISTING PLUMBING RISERS. EXTEND OR MODIFY PIPING AS REQUIRED.



SECOND FLOOR PLAN - AREA C - PLUMBING  
RENOVATIONS TO THE COCALICO MIDDLE SCHOOL  
COCALICO SCHOOL DISTRICT  
SOUTH 4TH STREET, DENVER BOROUGH, LANCASTER COUNTY, PA

ALL DIMENSIONS AND EXISTING CONDITIONS  
SHALL BE CHECKED AND VERIFIED  
BY THE CONTRACTOR AT THE SITE.

JOB NO.: 23001.00  
DRAWN BY: SA  
DATE: 04.12.24

P-C2



**AEM** ARCHITECTS INC.  
3700 PERKINS AVENUE, READING, PA 19606-2785  
Phone: 610.779.3220 Fax: 610.779.8022 www.aem-arch.com

**CONSOLIDATED**  
**ENGINEERS**  
1022 James Drive  
Leesport, PA 19533  
Tel: 610.916.1600 Fax: 610.916.1601  
Internet: www.consolidatedengineers.com

