


PARTIAL ROOF FRAMING PLAN - AREA B

JOB NO.: 23001.00  
DRAWN BY: CJW  
DATE: 04.12.24

S-2B



REINFORCE TOP AND BOTTOM  
CHORD WITH CONTINUOUS RODS.  
SEE TYPICAL DETAILS FOR SIZES.

REINFORCE JOIST WEBS WITH ANGLES, SEE TYPICAL DETAILS FOR SIZES

1 PARTIAL ROOF FRAMING PLAN - AREA B  
1/8" = 1'-0"

1. SEE S-0 FOR GENERAL NOTES AND S-3 FOR TYPICAL DETAILS.
2. COORDINATE ALL SIZES AND LOCATIONS OF MECH. EQUIPMENT AND ROOF PENETRATIONS WITH EXISTING FRAMING AND RTU MANUFACTURER.
3. ALL EXPOSED STEEL SHALL BE GALVANIZED.
4. ALL EXISTING DIMENSIONS AND FRAMING SHALL BE FIELD VERIFIED.
5. SUPPORT FRAMING REQUIRED BELOW MECHANICAL UNIT CURBS - SEE TYPICAL DETAILS FOR SIZES; COORDINATE CURB LOCATION WITH MECHANICAL DRAWINGS.

(E) R.D. → DENOTES SPAN OF EXISTING METAL ROOF DECK.

