




1
53.1
SECTION
1/2" = 1'-0"




2
53.1
SECTION
1/2" = 1'-0"



3
53.1
SECTION
1/2" = 1'-0"




4
53.1
SECTION
1/2" = 1'-0"



5
53.1
PIER 'P I'
1/2" = 1'-0"

BASE PLATE DETAILING SCHEDULE					
ANCR ROD DIA.	EMBEDMENT (GRADE 36)	BASE PL HOLE DIA.	EDGE DISTANCE	PL WASHER DIA.	PL WASHER THICKNESS
3/4"	9"	1 5/16"	1 1/2"	2"	1/2"

NOTE: FOR HIGH STRENGTH ANCHOR RODS, INCREASE EMBEDMENT BY 50%.



6
53.1
BASEPLATES HSS
1/2" = 1'-0"

BAKER, INGRAM, & ASSOCIATES
STRUCTURAL ENGINEERS
1547 Oregon Pike Lancaster, PA 17601
Lancaster, Pennsylvania 717.296.7400
Fax 717.296.7402
Email: brian@bakeringram.com
Project No. 10011



NEW FIELDHOUSE FOR THE
MIDD-WEST SCHOOL DISTRICT
MIDDLEBURG, PA

FOUNDATION
SECTIONS

S3.1

AS NOTED

DATE:

3.7.2024

REVISIONS

NO. DATE DESCRIPTION

APPROVED BY:

CHECKED BY:

DRAWN BY:

BID SET APRIL 15, 2024